

ITALIAN STUCCO Product No. XXXXX

Ritver Italian Stucco is a top class water based marble finish which enriches the ambience of the interiors of the room. It creates a shiny marble type finish and ends up in boundless patterns utilizing the imagination of an artist and the skills of the applicator and forms attractive marble like effects on various surfaces. The finish can be extended to different patterns of various colours and also accepts metallic pigments like gold, silver, pearl finish etc., the product is very hygienic and has good anti fungal properties. As a choice a customer can have the transparent version of the product too. The maintenance cost is very low as it requires only touch up after a little sanding.

USE

Substrates Concrete, plaster, masonry, gypsum, and wood works.
Area of Use: Interiors only for various decorative effects.

SPECIFICATIONS

Properties

Finish	: Smooth & Buttery
Colour*	: White or any other colour as per the end effect.*
Specific gravity	: 1.61 ± 0.02 (Transparent : (1.05 ± 0.02%))
Solids (% by volume)	: 55 ± 2 (transparent : 33 ± 2)
Diluent	: Sweet Water
Flash point	: Not Applicable
Spread Rate:	

While the spread rate is directly dependant on the surface profile, the pattern required and also the type of undulations it has, as a thumb rule **Ritver Italian Stucco** would cover approx 3.5 sq. meters per Kg, and may be taken for cost calculations.

Drying Time (30° C)	: Set to touch: 2 – 3 hours.
	: Ready for Recoat: at touch dry stage.
Recommended DFT	: 1 to 2 coats. No special reference but to spread uniformly.

*Transparent version of the same is also available for artistic finishes with the same product. (SG: 1.05± 0.02) .

ITALIAN STUCCO Product No. XXXXX

SURFACE PREPARATION

A good surface preparation and following the method statement / recommended system procedure of Ritver is an ideal recommendation for the application of **Ritver Italian Stucco**.

Exclusions for successful application include perpetually wet surfaces and also large cavities on wood, metal & concrete surfaces.

Ensure the surface is clean, dry & free from all loose or flaking particles. Apply **Ritver Tex Primer** or **Ritver AR Primer** for the concerned substrate. Apply then a good coat of **Ritver Platinum Emulsion** which would form the base coat for the **Ritver Italian Stucco**. In case of previously painted surfaces apply a base coat of **Ritver Platinum Emulsion** and follow with **Ritver Italian Stucco**.

On wooden surfaces: start with **Ritver Wood Primer**, follow it with **Ritver Synthetic Undercoat**, and then apply **Ritver Platinum Emulsion**.

APPLICATION METHODS

Adequate ventilation is an ideal situation as it helps in drying and the good application itself. Avoid high humid conditions i.e., >95% when condensation is likely to interfere and also when the surface temperature is at least 3°C above dew point.

One can add minimum quantity of sweet water for getting the right consistency depending on the speed and skill of the applicator. One should apply with a putty knife or a broad bladed knife and spread it evenly to the desired pattern. Allow to dry and then light sanding may be done to remove the imperfections and then follow up with a buffing with a suitable grinder with a soft end.

STORAGE & SHELF LIFE

Under dry and cool condition, storage stability can be sound up to 18 months in original sealed containers.

HANDLING

Disposal: As per the guidance and legislations of the local Authority e.g., by controlled landfill. In case of doubt, consult local authority. Do not empty into drains, sewers or other water courses.

Flash Point: Not applicable

ITALIAN STUCCO Product No. XXXXX

SAFETY PRECAUTION

Avoid contact with the skin and eyes. Wear suitable protective clothing such as overalls, goggles, dust mask and gloves. Use a barrier cream. Other industrial practices are applicable. Ensure that there is adequate ventilation in the area where the product is being applied. Do not breathe vapour or spray.

MSDS is available on request for the safe handling of this product.

FIRST AID

Eyes: In the event of accidental splashes, flush eyes with warm water immediately and obtain medical advice.

Skin: Wash skin thoroughly with soap and water or approved industrial cleaner. DO NOT USE solvent or thinners.

Inhalation: Remove to fresh air, loosen collar and keep patient rested.

Ingestion: In case of accidental ingestion DO NOT INDUCE VOMITING. Obtain immediate medical attention.